Pulsarlube PL3 (High Speed Grease)

1. MANUFACTURER INFORMATION

1) Product Name: : Pulsarlube PL3 (High Speed Grease)

2) Recommended use of the chemical and restrictions on use

A. Product description : An electrochemical automatic single point lubricator

B. Restrictions on use: Not available except the intended use of the product

3) Supplier's details

Pulsarlube GmbH Telephone Number for Information:

Silostrasse 31b, Tel.: +49 (69) 8700-766 - 62 / - 63

65929 Frankfurt am Main, Fax: +49 (69) 8700-766-69

Germany sales.eu@pulsarlube.com

Emergency telephone number +49 (69) 8700-766 - 62 / - 63

2. HAZARDS IDENTIFICATION

1) Classification of the substance/mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2) Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

3) Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

3. COMPOSITION/INFORMATION ON INGREDIENTS

1) Substances

Not applicable

. JARLUBE



| Name | Product Identifier | % | Classification according to Regulation(EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| Zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate) | CAS-No.: 4259-15-8 EC-No.: 224-235-5 | 0.1 – 5 | Aquatic Chronic 3, H412 |

| Specific concentration limits: | | |
|---|---|---|
| Name | Product Identifier | Specific concentration limits (%) |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate) | CAS-No.: 4259-15-8 EC-No.: 224-235-5 | (50 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c> |

Full text of H- and EUH-statements: see section 16

4. FIRST AID MEASURES

1) Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal

protective equipment.

2) Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation: Dust of the product, if present, may cause respiratory irritation

after excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin

folds or by contact in combination with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may

cause eye irritation.

Symptoms/effects after ingestion: None under normal conditions.

3) Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

1) Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. **Unsuitable extinguishing media** : Do not use a heavy water stream.

2) Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. **Hazardous decomposition** : Toxic fumes may be released.

3) Advice for firefighters

products in case of fire

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter

fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting: Do not attempt to take action without suitable protective

equipment. Self-contained breathing apparatus.

Complete protective clothing.

6. ACCIDENTAL RELEASE MEASURES

1) Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material damage.

For non-emergency personnel

: Wear recommended personal protective equipment. Protective equipment

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective

equipment. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

2) Environmental precautions

Avoid release to the environment

3) Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover

without compressing it.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

4) Reference to other sections

For further information refer to section 13.

7. HANDLING AND STORAGE

1) Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station.

Wear personal protective equipment.

: Do not eat, drink or smoke when using this product. Hygiene measures

Always wash hands after handling the product.

2) Conditions for safe storage, including any incompatibilities

: Keep in a cool, well-ventilated place away from heat. Technical measures

Storage conditions : Store in a well-ventilated place. Keep cool.

Packaging materials : Store always product in container of same material as original

container.

Germany

: LGK 13 - Non-combustible solids Storage class (LGK, TRGS 510)

Joint storage table

| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
|----------|---------|----------|----------|-----------|
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for Joint storage with restrictions

permitted for

: LGK 1, LGK 6.2, LGK 7 : LGK 4.1A, LGK 5.1C

Pulsarlube GmbH

according to Regulation (EC)
No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

. JAR LUBE

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

Switzerland

: NG - Non-hazardous Storage class (LK)

3) Specific end use(s)

No additional information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

1) Control parameters

National occupational exposure and biological limit values

No additional information available

Recommended monitoring procedures

No additional information available

Air contaminants formed

No additional information available

DNEL and PNEC

No additional information available

Control banding

No additional information available

2) Exposure controls

Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment: Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection : Safety glasses

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

Thermal hazards

No additional information available

Environmental exposure controls

Environmental exposure controls: Avoid release to the environment

9. PHYSICAL AND CHEMICAL PROPERTIES

1) Information on basic physical and chemical properties

Physical state : Solid according to Regulation (EC)
No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Rev 08

./RRLUBE

Appearance : Paste. Colour : brown.

Odour : Characteristic. Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available **Melting point** : No data available Freezing point : Not applicable

Boiling point : No data available Flash point : Not applicable **Auto-ignition temperature** : Not applicable **Decomposition temperature** : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20°C : No data available Relative density : Ca. 0.89 @ 20℃

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available **Explosive properties** : No data available Oxidising properties : No data available **Explosive limits** : Not applicable

2) Other information

No additional information available

10. STABILITY AND REACTIVITY

1) Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

2) Chemical stability

Stable under normal conditions.

3) Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

4) Conditions to avoid

None under recommended storage and handling conditions (see section 7).

5) Incompatible materials

No additional information available

6) Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

1) Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|--|
| LD50 oral rat | 3100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD |
| | Guideline 401 (Acute Oral Toxicity), 95% CL: 1800 - 5100 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Animal sex: male, |
| | Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|---|
| NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 | |
| | (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |

: Not classified

Aspiration hazard : Not classified

| PL3 | | |
|----------------------|----------------|--|
| Viscosity, kinematic | Not applicable | |
| 7' | | |

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|---|
| Viscosity, kinematic | 131.6 mm ² /s (40 °C, ASTM D445: Capillary viscometer) |

12. ECOLOGICAL INFORMATION

STOT-repeated exposure

1) Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause

long-term adverse effects in the environment.

Hazardous to the aquatic

environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

: Not classified: Not classified

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|------------------------------------|
| LC50 - Fish [1] 46 mg/l Test organisms (species) : Cyprinodon variegatus | |
| LC50 - Fish [2] | 46 mg/l Test organisms (species) : |

2) Persistence and degradability

| PL3 | |
|--|-------------------------------------|
| Persistence and degradability | Not rapidly degradable |
| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
| Persistence and degradability | Not readily biodegradable in water. |

3) Bioaccumulative potential

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|--|
| Partition coefficient n- octanol/water (Log Pow) | 3.59 Source: ECHA |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

4) Mobility in soil

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) | |
|--|---|
| Surface tension | 63.7 mN/m |
| | (21 °C, 1.25 g/l, OECD 115: Surface Tension of Aqueous Solutions) |
| Ecology - soil | Low potential for adsorption in soil. |

5) Results of PBT and vPvB assessment

| Component | |
|---|--|
| Zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate) (4259-15-8) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |



No additional information available

13. DISPOSAL CONSIDERATIONS

1) Waste treatment methods

Regional waste regulation: Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's

sorting instructions.

Sewage disposal : Disposal must be done according to official regulations.

recommendations

Product/Packaging disposal

recommendations

: Comply with applicable regulations for solid waste disposal. Disposal

must be done according to official regulations.

Additional information : Do not re-use empty containers.

14. TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID | |
|--|----------------|----------------|----------------|----------------|--|
| 1) UN number | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 2) UN proper shipping name | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 3) Transport hazard class(es) | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 4) Packing group | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 5) Environmental hazards | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| No supplementary information available | | | | | |

6) Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

7) Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable


15. REGULATORY INFORMATION

1) Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

L/RR LUBE



Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Germany

VOC ordinance (ChemVOCFarbV)

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers

(MuSchG).

Observe restrictions according Act on the Protection of Young People in

Employment (JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV,

Annex 1).

Hazardous Incident Ordinance

(12. BlmSchV)

: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : Z(1) - non biodegradable substances with hazardous properties for

> humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity / bioacumulative potential/ toxicity or persistence)

: None of the components are listed SZW-lijst van kankerverwekkende

stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische

stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen - Vruchtbaarheid SZW-lijst van reprotoxische

stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed

: None of the components are listed

Poland

Polish National Regulations : Act of 25 February 2011 on chemical substances and their mixtures (J. o

L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended;



./AR LUBE

\consolidated text J.o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154). Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended). The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

2) Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

| 1) Abbreviations and acronyms: | | |
|--------------------------------|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by | |
| | Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by | |
| | Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |

PSDS (Product Safety Data Sheet)

according to Regulation (EC)
No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | |
|---------|--|--|--|
| SDS | Safety Data Sheet | | |
| STP | Sewage treatment plant | | |
| ThOD | Theoretical oxygen demand (ThOD) | | |
| TLM | Median Tolerance Limit | | |
| VOC | Volatile Organic Compounds | | |
| CAS-No. | Chemical Abstract Service number | | |
| N.O.S. | Not Otherwise Specified | | |
| vPvB | Very Persistent and Very Bioaccumulative | | |
| ED | Endocrine disruptor | | |
| ACGIH | American Conference of Government Industrial Hygienists | | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | |
| CSA | Chemical safety assessment | | |
| EWC | European waste catalogue | | |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) | | |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) | | |
| MAK | maximum workplace concentration | | |
| OSHA | Occupational Safety Health Administration | | |
| PPE | Personal protection equipment | | |
| TF | Technical function | | |
| TWA | Time Weighted Average | | |
| UFI | Unique Formula Identifier | | |
| | | | |

Data sources : ECHA (European Chemicals Agency). This MSDS is prepared based on KOSHA,

NITE, ESIS, NLM, SIDS, IPCS, NCIS, etc.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| H318 | Causes serious eye damage. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| EUH210 | Safety data sheet available on request. | |

The classification complies with : ATP 12

2) The first creation date: 11.02.2015

3) The number of times, and the final revision date: Revision times 08

The final revision date: Mar.27.2025

Further information

Pulsarlube has prepared copyrighted Product Safety Datasheets to provide information on the different Pulsarlube automatic grease lubricator systems. As defined in above the text Pulsarlube automatic grease lubricator are manufactured articles, which do not result in exposure to a hazardous chemical under normal conditions of use. The information and recommendations set forth herein are made in good faith, for information only, and are believed to be accurate as of the date of preparation. However, Pulsarlube USA, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM REFERENCE ON IT.

O Pulsarlube GmbH